

Ciprian OBER, Phd, Associate Professor, Resident of European College of Veterinary Surgeons Department of Surgery Faculty of Veterinary Medicine Cluj-Napoca

Phone: 0040749262180

Email: ciprian.ober@usamvcluj.ro

Owner:

Patient: Mixed large breed dog, castrated female

Surgeon: Ciprian OBER, DVM, PhD, ResECVS

Anamnesis: found on the street

Physical exam: grade 3 lameness on right thoracic limb; limited range of motion at manipulation of right elbow joint

Limited range of motion at manipulation of both hips

Complementary exams: X Rays

X rays: severe osteoarthritis of right elbow joint with the presence of a metallic wire probably from a previous attempt of a surgical repair

Hip dysplasia

Alternatives:

Right elbow joint: 1. GOLD STANDARD: removal of the metallic wire and total elbow prosthesis (expensive procedure; only in few places in Europe and USA)

2. Conservative management: maintainance of the normal weight; pain-killers, chondroprotective agents, limitation of heavy exercises

3. Arthrodesis of the elbow (Arthrodesis of the elbow is an alternative to amputation for severely comminuted intraarticular fractures, chronic luxation or subluxation from a variety of causes, and severe osteoarthritis. Elbow arthrodesis, however, produces a dramatic gait abnormality and should be considered only if the owner refuses amputation or if other limbs also have diseased joints. Some feel that amputation provides a better overall function than arthrodesis particularly if other joints are relatively pain free. Multiple-screw or bone plate fixation has yielded the best results in our experience.

Because of the concurrently hip dysplasia, this is not a viable solution.





Right elbow



Normal left elbow



Hips